



January 2, 2003

Jim Christiansen
EPA Region 8
999 18th Street
Suite 300-8EPR-SR
Denver, CO 80202-2466
RE: Libby Montana W.R. Grace site and the
Bonneville Power Administration

Phone: 303-312-6748
Mobile 303-898-8465
Email Christiansen.jim@epa.gov

Dear Jim,

Thank you for the cooperation you have committed to during the conference call we participated in on December 11, 2002 with the Bonneville Power Administration (BPA). I have left voice mail messages for Dave Schroder from CDM regarding the receipt of air and soil monitoring data from the Libby project. I hope to arrange for receiving this data within the next few weeks.

I have written a draft site safety plan for the BPA transmission line workers accessing the right of way along Rainy Creek Road. In order to verify the location and logistics regarding the level of protection and decon requirements for this site, I would like to obtain a copy of the site safety plan used by the remediation workers. This will allow me to reference the work practices needed for safety entry and exit off the site.

Also, is it possible for you to forward me copies of the digital photos of the site including the decon line used by site workers? This will assist in training BPA staff during the upcoming months. Once I have finalized the draft plan with BPA I will forward a copy to you and Courtney Zamora. I will forward this letter to Courtney Zamora, DOT Volpe Center, so that she is kept up to date on BPA's progress in addressing the potential health and safety needs for their employees.

Regards,
Marine & Environmental Testing, Inc.

Maura Doherty
Certified Industrial Hygienist
PH 503-282-6920 (If I am not in the office, please ask my office to page me)

maurad@mandet.com

cc Courtney Zamora, 501 Mineral Avenue, Libby MT 59923
Ralph Fair (rfair@bpa.gov) and Greg Olesen (glolesen@bpa.gov)